Valor®

THE ORIGINAL
RADIANT GAS FIREPLACE™

www.valorfireplaces.com

Legend G3 | Insert Series

Legend G3 Log Engine with FenderFire Double Doors (743FVI) & Cast Surround (715CVI)

Legends Are Made.
Not Born.

The Valor fireplace family showcases over a century of advancements in radiant heat technology and distinct hearth designs for your home.

Since introducing the first Valor Legend insert model in 1991, we continue to adapt and improve on all aspects of our flagship line. With constant innovation in product design and function, our objective is to exceed the expectations of Valor customers on every level.

Easy-to-use, energy saving features position the Valor G3 insert as a leader in efficient, effective zone heating - a true upgrade in heat control, product reliability and overall home comfort.

Update your existing living space with a wide selection of stunning fireplace designs in both traditional and contemporary appeal. A diverse collection of fronts, trims and hearth accessories provide endless installation opportunities for your dated, inefficient fireplace.

Embodying over 100 years of Valor tradition accompanied by the latest in state-of-the-art technology, the Legend G3 continues to be the industries number one selling radiant gas insert.

Legend G3 Log Engine with 742CFB Traditional Cast Front & 747DTK 3-Sided Deluxe Trim Kit in Black

Surround Finishes

FenderFire Single Door (744FVI)
with Cast Surround (715CVI)

Clearview Front (745CFV), Clearview Fret (758CCB)
& 4-Sided Square Trim Kit in Vintage Iron (757STV)

Clearview Front (745CFV), Ventana Fret (1225VFB)
& 2" 3-Sided Square Trim Kit in Black (767STB)

Contemporary Front in Vintage Iron (741SVI) with
3-Sided Contour Trim Kit in Vintage Iron (746VIK)



Legend G3 Log Engine with 745CFV
Clearview Front, 1225VFB Ventana Fret &
756STB 3-Sided Square Trim Kit in Black

Contemporary Front in Black (741SFB) with
4-Sided Contour Trim Kit in Black (748CTK)

Traditional Cast Front (742CFB) with 3-Sided
Contour Trim Kit in Black (746CTK)

Matte Black Front (772MBF2) with 3-Sided
Square Trim Kit in Black (756STB)

FenderFire Double Door (743FVI) with
Oversized Trim Kit (7530TK)

LEGEND G3 INSERT FIREPLACE COMPONENTS

ENGINES	738JLN	Legend G3 B-Vent Engine NG (log set with red brick liner)
	738JLP	Legend G3 B-Vent Engine LPG (log set with red brick liner)
	739JLN	Legend G3 Direct Vent Engine NG (log set with red brick liner)
	739JLP	Legend G3 Direct Vent Engine LPG (log set with red brick liner)
	739IRN	Legend G3 Direct Vent Engine NG (Creekside rock firebed with fluted black liner)
	739IRP	Legend G3 Direct Vent Engine LPG (Creekside rock firebed with fluted black liner)
FRONTS	741SFB	Contemporary Steel Front - Black
	741SVI	Contemporary Steel Front - Vintage Iron
	742CFB	Traditional Cast Iron Front - Black
	743FVI	FenderFire Double Door - Black & Vintage Iron
	744FVI	FenderFire Single Door - Black & Vintage Iron
	745CFV	Clearview Front - Black & Vintage Iron
	765CSB	4-Sided Contemporary Front in Black (739 model only)
	765CSC	4-Sided Contemporary Front in Copper (739 model only)
	765CSN	4-Sided Contemporary Front in Brushed Nickel (739 model only)
	765CSPN	4-Sided Contemporary Front in Painted Nickel (739 model only)
	772MBF2	Matte Black Front - Version 2
SURROUNDS	715CVI	Cast Surround Plate - Vintage Iron (29″h X 41″w)
	746CTK	3-Sided Contour Trim Kit - Black (26-3/4″h X 36-1/2″w)
	746VIK	3-Sided Contour Trim Kit - Vintage Iron (26-3/4″h X 36-1/2″w)
	747DTK	3-Sided Deluxe Trim Kit - Black (26-3/4″h X 36-1/2″w)
	747VIK	3-Sided Deluxe Trim Kit - Vintage Iron (26-3/4″h X 36-1/2″w)
	748CTK	4-Sided Contour Trim Kit - Black (30-1/4″h X 36-1/2″w)
	748VIK	4-Sided Contour Trim Kit - Vintage Iron (30-1/4″h X 36-1/2″w)
	749DTK	4-Sided Deluxe Trim Kit - Black (30-1/4″h X 36-1/2″w)
	749VIK	4-Sided Deluxe Trim Kit - Vintage Iron (30-1/4″h X 36-1/2″w)
	7500CP	Oversized Closure Plate - Black (Max. Coverage 29-1/2″h X 42″w)
	7500VI	Oversized Closure Plate - Vintage Iron (Max. Coverage 29-1/2″h X 42″w)
	751LTK	Lift Trim Kit - Black
	751LVK	Lift Trim Kit - Vintage Iron
	752BTK	Base Trim Kit - Black
	752BVK	Base Trim Kit - Vintage Iron
	7530TK	Oversized Trim Kit - Black (31″h X 45-3/16″w)
	7530TV	Oversized Trim Kit - Vintage Iron (31″h X 45-3/16″w)
	756STB	3-Sided Square Trim Kit - Black (27-1/8″h X 37-1/2″w)
	756STV	3-Sided Square Trim Kit - Vintage Iron (27-1/8″h X 37-1/2″w)
	756STP	3-Sided Square Trim Kit - Brushed Nickel (27-1/8″h X 37-1/2″w)
	757STB	4-Sided Square Trim Kit - Black (31-1/8″h X 37-1/2″w)
	757STV	4-Sided Square Trim Kit - Vintage Iron (31-1/8″h X 37-1/2″w)
	757STP	4-Sided Square Trim Kit - Brushed Nickel (31-1/8″h X 37-1/2″w)
	763BPB	Backing Plate - Black (30-1/2″h X 42″w) - for use with 739 model only
	764PFB	Picture Frame 4-Sided Square Trim Kit - Black (27-1/8″h X 39-1/2″w)
	767STB	3-Sided Square Trim Kit (2″) in Black (25-5/8″h X 34-3/8″w)

Please Note: Printed images may vary from actual product. Refer to the 738/739 Legend G3 Insert Series engine manual for product installation. All product information is accurate at time of printing and is subject to change. For more information visit valorfireplaces.com

LEGEND G3 INSERT FIREPLACE COMPONENTS

FRETS	758CCB	Clearview Cast Fret - Black & Vintage Iron
	1225VFB	Ventana Fret - Black
	RA24TB	Traditional Fret - Black
ACCESSORIES	720SWK	Sidewall Venting Kit (co-linear vent terminal for select sidewall applications)
	754RSK	Rock Set Conversion Kit (for the 738JXN/JXP & 739JLN/JLP)
	755CFK	Circulating Fan Kit (with variable speed thermally activated controller. 739 model only)
	759EBL	Enamel Firebox Liner Kit - Gloss Black (replaces standard liner packed with heater)
	760CBL	Fluted Black Liner Set (replaces standard liner packed with heater)
	761DRK	Decorative Rock Kit (optional accessory for the Creekside rock firebed)
	762TRB	Temperature Reduction Baffle (optional)
	770ZCK	Zero Clearance Kit (738 b-vent model only)
	1265WSK	Valor Wall Switch Kit (works with ValorStat handset. For use with 739 model only)

MODEL/ FUEL

Model	Fuel	Fan Option	Remote System	Max. Input BTU/hr	Min. Input BTU/hr	EnerGuide Rating*	Max. Output* BTU/hr (w/out fan)
738JLN	NG	No	ValorStat	24,000	6,500	59%	16,169
738JLP	LPG	No	ValorStat	24,000	13,000	59%	16,169
739JLN	NG	Yes	ValorStat Plus	26,000	6,500	66.4%	17,490
739JLP	LPG	Yes	ValorStat Plus	24,000	13,000	63.3%	16,171
739IRN	NG	Yes	ValorStat Plus	26,000	6,500	66.4%	17,490
739IRP	LPG	Yes	ValorStat Plus	24,000	13,000	63.3%	16,171

Certified to ANSI Z21.88-2014/ CSA 2.33-2014 Vented Gas Fireplace Heater American National Standard
CGA - 2.17-91 Gas Fired Appliances for use at High Altitudes
* EnerGuide Ratings and Outputs have been determined without a fan/blower, using the CSA P4.1-09 test method

LEGEND G3 DIMENSIONS

DIMENSIONS
738 B-VENT MODEL



FIREPLACE SAFETY - USE RADIANT HEAT SAFELY
Fireplace surfaces, in particular the glass viewing window, are extremely hot during operation and will remain hot for a period of time after the fireplace is turned off. Contact with the hot glass can cause severe burns. Close adult supervision is required if there are young children, or at-risk individuals in the house.

Included with your purchase, a Valor Barrier Screen is recommended at all times. Install an approved aftermarket safety gate to keep toddlers, young children and at-risk individuals a safe distance from the fireplace.

For more information please visit www.valorfireplaces.com/safety.

LEGEND G3 DIMENSIONS, VENTING, MANTEL & CAVITY CLEARANCES

DIMENSIONS
739 DIRECT VENT MODEL



VENTING



MANTEL CLEARANCES



Mantel Projection A	1″ (25 mm)	1″– 6″ (25–152 mm)	9″ (229 mm)	12″ (305 mm)
Mantel Height B*	36″ (914 mm)	39″ (991 mm)	42″ (1067 mm)	45″ (1143 mm)

*Measure taken from the underside of the mantel to finished hearth or surface that the unit is sitting on

Sidewall Clearances - Minimum distance from side of appliance (liner box) to combustible wall - 9″ (229 mm)

MINIMUM CAVITY DIMENSIONS

- Minimum depth (X) = 12-14″ (305-357 mm) - varies with outer trim options
- Minimum height (Y) = 20″ (508 mm); 24″ (610 mm) when using 763BPB Backing Plate
- Minimum width of fireplace opening at front is 28″ (711 mm)

Installation reminder - Check that masonry step does not interfere with install dimensions or vent pipe.



Designed and manufactured by:
MILES INDUSTRIES

Copyright Miles Industries Ltd. 2015
Proudly made in North America
BRLEG315E - Jan. 2015
Printed on recycled paper

Legend G3 Rock Engine with 764PFB 4-Sided Picture Frame Square Trim Kit,
765CSN Contemporary Front in Brushed Nickel & 761DRK Decorative Rock Kit.

Ideal for "up the wall" applications, the Picture Frame trim kit is evenly proportioned and landscape in design.

The 764PFB 4-Sided Picture Frame Square Trim Kit works exclusively with the 765 Contemporary Front collection (shown below).

Available in black only, the 764PFB trim kit must be installed with a 765 Contemporary Front (4 finishes to choose from - copper, black, brushed nickel & painted nickel).

1.

2.

3.

1. 3-Sided Black Square Trim Kit (756STB) & 4-Sided Contemporary Front in Copper (765CSC)
2. 3-Sided Black Square Trim Kit (756STB) & 4-Sided Contemporary Front in Brushed Nickel (765CSN)
3. 3-Sided Brushed Nickel Square Trim Kit (756STP) & 4-Sided Contemporary Front in Black (765CSB)

Not Shown: 765CSPN 4-Sided Contemporary Front in Painted Nickel

Valor SMARTFIRE System

LUXURY. EFFICIENCY. QUALITY. CONVENIENCE. HEAT.

VALORSTAT REMOTE - HOME COMFORT CONTROL

The advancements of electronics has raised the bar in smart fireplace design. The ValorStat control system maintains a steady, even comfort and can be programmed to provide heat exactly where you want it, when you want it. The ValorStat Plus remote pilot ignition system (on direct vent models only) allows you to turn the pilot light on and off directly from the handset. Each Legend G3 Insert comes standard with a ValorStat handheld remote.

THE VALOR COMFORT ZONE

Pumping forced air heat through your entire home is often inefficient. Targeting specific areas that you frequent the most is more economical and efficient in the long run. Zone heating with a Valor requires no ducting or forced air, delivering the perfect blend of radiant and convective warmth at the temperature you desire.

THE ADVANTAGE OF RADIANT WARMTH

Like heat from the sun, Valor fireplaces distribute radiant warmth directly to your living space. Radiant heat satisfies human comfort needs, using up to 25% less energy compared to traditional forced air systems. Valor warmth effectively replaces the chill from cold windows and doors, providing steady, even heat to objects in the room. Designed to circulate warm air through natural convection, the Legend Series raises gas insert standards in heat performance and efficiency.

HEAT DURING A POWER FAILURE - NO POWER, NO PROBLEM

If the power fails in the winter your home can get cold fast. Valor fireplaces are fully functional heaters that don't use electricity. Our fireplaces provide the perfect mixture of radiant and convective heat reducing the need for a fan. No power, no problem with Valor.

BURN CLEAN, ENGINEERED GREEN

Natural gas is the cleanest fireplace fuel you can burn, with the lowest particulate levels and lowest levels of greenhouse gases. Valor specializes in the design of cost effective, heat solutions for your home.

Valor THE WISE WAY TO HEAT

Valor
THE ORIGINAL
RADIANT GAS FIREPLACE™
www.valorfireplaces.com

Your Authorized Valor Dealer

BRLEG315E - Jan. 2015